

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 03/09/2023

Reviewed on 03/09/2023

1 Identification

- · Product Identifier
- · Trade Name: TOOLBOX® Waterweave™ T600 & T700 White
- · Relevant identified uses of the substance or mixture and uses advised against:
- · Product Description: Dry Wiper
- Details of the Supplier of the Safety Data Sheet:
- *Manufacturer/Supplier:* Sellars Absorbent Materials, Inc. 6565 N. 60th Street Milwaukee, WI 53223 414-353-5650 www.sellarscompany.com
- *Emergency telephone number:* INFOTRAC day or night: 1-800-535-5053 Outside of Continental US: 1-352-323-3500 Customer Number/ID: 107114

2 Hazard(s) Identification

- Classification of the substance or mixture: The product does not need classification according to OSHA HazCom Standard 29 CFR paragraph (d) of §1910.1200(g) and GHS Rev 03.
- · Label elements:
- · Hazard pictograms: Non-Regulated Material
- · Signal word: Non-Regulated Material
- · Hazard statements: Non-Regulated Material
- · Unknown acute toxicity:

This value refers to knowledge of known, established toxicological or ecotoxicological values.

- 0 % of the mixture consists of component(s) of unknown toxicity.
- · Classification system: NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme
- NFPA ratings (scale 0 4)



· HMIS-ratings (scale 0 - 4)

HEALTH	0	Health = 0
		Fire = 0
REACTIVITY	0	Physical Hazard = 0

· Hazard(s) not otherwise classified (HNOC): None known

3 Composition/Information on Ingredients

- · Chemical characterization: Substance
- · Description: Mixture of substances listed below with non-hazardous additions.
- · Dangerous Components:

9004-34-6 Cellulose

· Additional information:

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.



OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 03/09/2023

Reviewed on 03/09/2023

(Contd. on page 3)

Trade Name: TOOLBOX® Waterweave™ T600 & T700 – White

4 First-Aid Measures

- · Description of first aid measures
- · General information: If symptoms persist, call a physician.
- · After inhalation: Not a normal route of entry.
- · After skin contact:

Generally, the product does not irritate the skin.

If skin irritation occurs, consult a doctor.

• After eye contact:

Rinse opened eye for several minutes under running water.

If eye irritation occurs, consult a doctor.

· After swallowing: If swallowed and symptoms occur, consult a doctor.

- · Information for doctor
- · Most important symptoms and effects, both acute and delayed: No further relevant information available.
- Indication of any immediate medical attention and special treatment needed: No further relevant information available.

5 Fire-Fighting Measures

- · Extinguishing media
- Suitable extinguishing agents:

Use fire fighting measures that suit the environment.

- CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- For safety reasons unsuitable extinguishing agents: No further relevant information.
- Special hazards arising from the substance or mixture: No further relevant information available.
- Advice for firefighters
- · Special protective equipment for firefighters:

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

6 Accidental Release Measures

- · Personal precautions, protective equipment and emergency procedures: Not required.
- Environmental precautions: No special measures required.

• *Methods and material for containment and cleaning up:* Dispose of contaminated material as waste according to section 13. Dispose of the collected material according to regulations.

• Reference to other sections:

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

• PAC-1:

9003-07-0 Polypropylene	5.2 mg/m ³
· PAC-2:	
9003-07-0 Polypropylene	58 mg/m³
· PAC-3:	
9003-07-0 Polypropylene	350 mg/m ³
7 Handling and Storage	

· Handling

· Precautions for safe handling: No special precautions are necessary if used correctly.



OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 03/09/2023

Reviewed on 03/09/2023

Trade Name: TOOLBOX® Waterweave™ T600 & T700 – White

· Information about protection against explosions and fires: No special measures required.

- · Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles: Store in the original container.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- Specific end use(s): No further relevant information available.

8 Exposure Controls/Personal Protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters:
- · Components with occupational exposure limits:

9004-34-6 Cellulose

- PEL Long-term value: 15* 5** mg/m³ *total dust **respirable fraction
- REL Long-term value: 10* 5** mg/m³ *total dust **respirable fraction
- TLV Long-term value: 10 mg/m³

• Additional information: The lists that were valid during the creation of this SDS were used as basis.

- Exposure controls:
- Personal protective equipment
- General protective and hygienic measures: Not necessary under normal conditions.
- · Breathing equipment: Not required.
- Protection of hands: Not required.
- Material of gloves: Not required.
- · Penetration time of glove material: Not applicable.
- Eye protection: Not required.
- · Limitation and supervision of exposure into the environment: None

) Physical and Chemical Properties

Information on basic physical and chemical properties
 General Information

General miormation	
· Appearance:	
Form:	Soft cloth
Color:	White
· Odor:	Odorless
· Odor threshold:	Not determined.
· pH-value:	Not applicable.
· Change in condition	
Melting point/Melting range:	>100 °C (>212 °F)
Boiling point/Boiling range:	>100 °C (>212 °F)
· Flash point:	None
· Flammability (solid, gaseous):	Not determined.
· Auto igniting:	>100 °C (>212 °F)
· Decomposition temperature:	Not determined.



OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 03/09/2023

Reviewed on 03/09/2023

Trade Name: TOOLBOX® Waterweave™ T600 & T700 – White

· Ignition temperature:	Product is not self-igniting.			
• Danger of explosion:	Product does not present an explosion hazard.			
• Explosion limits: Lower: Upper:	Not applicable. Not applicable.			
Vapor pressure:	Not applicable.			
 Density: Relative density: Vapor density: Evaporation rate: 	Not determined. Not determined. Not applicable. Not applicable.			
 Solubility in / Miscibility with: Water: 	Insoluble.			
· Partition coefficient (n-octanol/water): Not determined.				
· Viscosity: Dynamic: Kinematic:	Not applicable. Not applicable.			
 Solvent content: VOC content: 	0.00 %			
Solids content:	100.0 %			
• Other information:	No further relevant information available.			
10 Stability and Pagativity				

10 Stability and Reactivity

- · Reactivity: No further relevant information available.
- · Chemical stability: Stable under normal conditions.
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions: No dangerous reactions known.
- Conditions to avoid: No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

1 Toxicological Information

- · Information on toxicological effects:
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

9004-34-6 Cellulose

Oral LD50 >5,000 mg/kg (Rat)

Dermal LD50 >2,000 mg/kg (Rabbit)

• Primary irritant effect:

- · On the skin: No irritating effect.
- · On the eye: No irritating effect.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

(Contd. on page 5)



OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 03/09/2023

Reviewed on 03/09/2023

Trade Name: TOOLBOX® Waterweave™ T600 & T700 – White

· Carcinogenic categories:

- · IARC (International Agency for Research on Cancer):
- Group 1 Carcinogenic to humans
- Group 2A Probably carcinogenic to humans
- Group 2B Possibly carcinogenic to humans
- Group 3 Not classifiable as to its carcinogenicity to humans
- Group 4 Probably not carcinogenic to humans
- 9003-07-0 Polypropylene

• NTP (National Toxicology Program):

None of the ingredients are listed.

- · OSHA-Ca (Occupational Safety & Health Administration):
- None of the ingredients are listed.

2 Ecological Information

- Toxicity:
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability: No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential: No further relevant information available.
- · Mobility in soil: No further relevant information available.
- Additional ecological information:
- · General notes: Not known to be hazardous to water.
- Results of PBT and vPvB assessment:
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects: No further relevant information available.

3 Disposal Considerations

- · Waste treatment methods
- Recommendation:
 Observe all federal, state and local environmental regulations when dispose
- Observe all federal, state and local environmental regulations when disposing of this material.
- · Uncleaned packaging
- Recommendation: Disposal must be made according to official regulations.

4 Transport Information

· UN-Number:					
· DOT, ADR/ADN, ADN, IMDG, IATA	Non-Regulated Material				
UN proper shipping name:	C C				
· DOT, ADR/ADN, ADN, IMDG, IATA	Non-Regulated Material				
• Transport hazard class(es):	5				
· DOT, ADR/ADN, ADN, IMDG, IATA					
· Class:	Non-Regulated Material				
Packing group:	5				
· DOT, ADR/ADN, IMDG, IATA	Non-Regulated Material				
Environmental hazards:	Not applicable.				
 Special precautions for user: 	Not applicable.				
Transport in bulk according to Annex II of					
MARPOL73/78 and the IBC Code:	Not applicable.				

3



OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 03/09/2023

Reviewed on 03/09/2023

Trade Name: TOOLBOX® Waterweave™ T600 & T700 – White

• UN "Model Regulation":

Non-Regulated Material

15 Doon	910K1	mation
15 Regul	GLUIV	

- Safety, health and environmental regulations/legislation specific for the substance or mixture: No further relevant information available.
- · SARA (Superfund Amendments and Reauthorization):
- Section 355 (extremely hazardous substances):

None of the ingredients are listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

- TSCA (Toxic Substances Control Act):
- All components have the value ACTIVE.
- · Hazardous Air Pollutants

None of the ingredients are listed.

- California Proposition 65:
- Chemicals known to cause cancer:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for females:

- None of the ingredients are listed.
- \cdot Chemicals known to cause reproductive toxicity for males:
- None of the ingredients are listed.
- · Chemicals known to cause developmental toxicity:
- None of the ingredients are listed.
- New Jersey Right-to-Know List:
- 9004-34-6 Cellulose
- New Jersey Special Hazardous Substance List:
- None of the ingredients are listed.
- · Pennsylvania Right-to-Know List:
- 9004-34-6 Cellulose
- *Pennsylvania Special Hazardous Substance List:* None of the ingredients are listed.
- · Carcinogenic categories:
- · EPA (Environmental Protection Agency):

None of the ingredients are listed.

• TLV (Threshold Limit Value established by ACGIH):

None of the ingredients are listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health):

None of the ingredients are listed.

· GHS label elements Non-Regulated Material

- · Hazard pictograms: Non-Regulated Material
- · Signal word: Non-Regulated Material
- · Hazard statements: Non-Regulated Material



OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 03/09/2023

Reviewed on 03/09/2023

Trade Name: TOOLBOX® Waterweave™ T600 & T700 – White

· National regulations:

The product is not subject to be labelled according with the prevailing version of the regulations on hazardous substances.

• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

6 Other Information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

· Contact:

• Abbreviations and acronyms:

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety and Health OSHA: Occupational Safety & Health Administration TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL: Recommended Exposure Limit** * Data compared to the previous version altered.

SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106